


DWIHN HEDIS MEASURES Definitions and Goals





What is HEDIS?


- The Healthcare Effectiveness Data and Information Set (HEDIS®) is a set of performance data developed and maintained by the National Committee for Quality Assurance (NCQA), and is the most widely used standardized performance measure in the managed care industry. HEDIS is part of an integrated system to establish accountability in managed care.
- Behavioral health has multiple measures that include ensuring continuity of care, for example; appropriate psychotropic medication management/adherence, follow up after hospitalization, and diabetes monitoring. Detroit-Wayne Integrated Health Network collects HEDIS data to measure and improve the quality of care that the members receive





What is in DWIHN HEDIS SCORECARD?

- The HEDIS Quality Scorecard includes HEDIS measures that are marked for behavioral health, physical health, and SUD.
- HEDIS Quality Scorecard includes DWIHN total score, CRSP Total score, HEDIS goal, compliant/non-compliant members included in the score.
- All measures can also be sorted by race and ethnicity.
- All data can be exported to an csv, excel, or PDF document.
- Goals are based on State goals and health plan averages.



What is in DWIHN HEDIS SCORECARD?

EOS Measures

AAP: Adults' Access to Preventive/Ambulatory Health Services

AMM: Antidepressant Medication Management

APP: Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics

CBP: Controlling High Blood Pressure

CCS: Cervical Cancer Screening

CDF-HH: Screening for Depression and Follow-Up Plan

FUA: Follow-Up After Emergency Department Visit for Substance Use

FUH: Follow-Up After Hospitalization for Mental Illness

FUM: Follow-Up After Emergency Department Visit for Mental Illness

GSD: Glycemic Status Assessment for Patients With Diabetes

IET: Initiation and Engagement of Substance Use Disorder Treatment

OUD-HH: Use of Pharmacotherapy for Opioid Use Disorder

SAA: Adherence to Antipsychotic Medications for Individuals With Schizophrenia

SMD: Diabetes Monitoring for People With Diabetes and Schizophrenia

SSD: Diabetes Screening for People With Schizonhrenia or Ripolar Disorder Who Are Using Antipsychotic Medications









What are the HEDIS Measures?

ECDS Measures

ADD-E: Follow-Up Care for Children Prescribed ADHD Medication

APM-E: Metabolic Monitoring for Children and Adolescents on Antipsychotics

BCS-E: Breast Cancer Screening

CCS-E: Cervical Cancer Screening

Other Measures

PCR Plan All-Cause Readmissions



Key performance HEDIS measures monitored by the State of Michigan and Health Plans.

- <u>FUH: Follow Up after hospitalization</u> Discharges for beneficiaries who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and had a follow-up visit with a mental health provider
- <u>SAA: Adherence to Antipsychotic medication for individuals with Schizophrenia</u> Beneficiaries diagnosed with schizophrenia or schizoaffective disorder who were dispensed and remained on an antipsychotic medication for at least 80 percent of their treatment period.
- <u>AMM: Antidepressant medication management</u> Adults 18 years of age and older with a diagnosis of major depression who were newly treated with antidepressant medication and remained on their antidepressant medications
 - Acute Phase Beneficiaries who remained on an antidepressant medications for at least 12 weeks
 - Continuation Phase Beneficiaries who remained of medications for at least 6 months
- SSD: Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Anti-Psychotic Medications Beneficiaries, ages 18 to 64, with schizophrenia, schizoaffective disorder, or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement





Continued...

- FUM: Follow up after Emergency Department visit for mental illness
 Emergency department (ED) visits for beneficiaries with a principal diagnosis of mental illness or intentional self-harm and had a follow-up visit for mental illness.
- ADD: Follow-Up Care for Children Prescribed ADHD Medication Children newly prescribed attention deficit/hyperactivity disorder
 (ADHD) medication who had at least three follow-up care visits
 within a 300-day (10-month) period, one of which was within 30
 days of when the first ADHD medication was dispensed.
 - <u>Initiation Phase</u> Children, ages 6-12, with a prescription dispensed for ADHD medication, who had one follow-up visit with a practitioner with prescribing authority during the 30 day
 - <u>Continuation Phase</u> Children, ages 6-12, with a prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the initiation phase, had at least two follow-up visits with a practitioner within 270 days (9 months) after the initiation phase ended.





Measures that will be monitored by only DWIHN

- APM: Metabolic Monitoring for Children and Adolescents on Antipsychotics Children and Adolescents Ages 1 to 17 Years Who Had Two or More Antipsychotic Prescriptions and Had Metabolic Testing, both blood glucose and cholesterol testing.
- <u>APP: Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics</u> Children and Adolescents Ages 1 to 17 Who Had a New Prescription for an Antipsychotic Medication and Had Documentation of Psychosocial Care as First-Line Treatment.
- SMD: Diabetes Monitoring for People With Diabetes and Schizophrenia members 18 64 years of age with schizophrenia or schizoaffective disorder, and diabetes who had both an LDL-C test and an HbA1c test during the MY.
- <u>IET: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment</u> Adolescent and adult members with a new episode of substance use disorder (SUD) who received Initiation of SUD Treatment or Engagement of SUD Treatment.
 - <u>Initiation of SUD Treatment</u> New SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter, partial hospitalization, telehealth visit, or medication treatment within 14 days
 - <u>Engagement of SUD Treatment</u> New SUD episodes that have evidence of treatment engagement within 34 days of initiation





Health HEDIS Measures that are helpful for integration of care.

These measures are information only, CRSP's can use this to see if a member has had certain medical screenings in the calendar year

- <u>BCS: Breast Cancer Screening</u> Members 50 74 years of age who were recommended for a routine breast cancer screening and had a mammogram to screen for breast cancer.
- CBP Controlling High Blood Pressure Assesses Patients (18–85 years of age)
 Who Had a Diagnosis of Hypertension Reported on an Outpatient Claim and Blood
 Pressure Adequately Controlled
- <u>CCS: Cervical Cancer Screening</u> Members 24 64 Years of Age in the MY Who Were Recommended for Routine Cervical Cancer Screening including cervical cytology (Pap) test within the last 3 years, and Cervical high high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
 - Ages 24–64 years: Cervical cytology (Pap) test within the last 3 years.

Detroit Free Press

- Ages 30–64 years: Cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- Ages 30–64 years: Cervical cytology/high-risk human papillomavirus (hrHPV) co-testing within the last 5 years
- COL: Colorectal Cancer Screening Members 45 75 years of age who had appropriate screening for colorectal cancer.





Continued...

These measures are information only, CRSP's can use this to see if a member has had certain medical screenings in the calendar year

- PCR: Plan All Cause Readmissions beneficiaries ages 18 to 64, the number of acute inpatient and observation stays during the measurement year that were followed by an unplanned acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission.
- AIF: Admission to a Facility from the Community Number of Program Enrollees who are Admitted to a Facility After Living in the Community for at Least one month.
- <u>IU-HH: Inpatient Admission</u> The rate of acute inpatient care and services (total, maternity, mental health, surgery, and medicine) per 1,000 enrollee months among Health Home enrollees.



DWIHN Your Link to Holistic Healthcare TOP WORK PLACES 2023-2024 Detroit free Press 2023-2024

HEDIS Goals

Adults		
HEDIS Measure	<u>Goal</u>	
AMM Acute	66.93%	
AMM Continuation	50.71%	
BCS	59.29%	
СВР	79.08%	
CCS	63.99%	
FUH	58%	
FUM7	47.07%	
FUM30	61.05%	
IET Initiation	40%	
IET Engagement	14%	
SAA	66.28%	
SMD	85.71%	
SSD	80.99%	

Children	
HEDIS Measure	<u>Goal</u>
ADD Initiation	64%
ADD Engagement	76%
APM: Ages 1-11	23.36%
APM: Ages 12-17	32.7%
APP: Ages 1-11	67.39%
APP: Ages 12-17	71.16%
APP: All Ages	70.03%
FUH	79%
FUM7	73.13%
FUM30	84.33%
IET Initiation	40%
IET Engagement	14%

• Measures with no goal set: AAP, AIF, CDF, FUA, GSD, IU, OUD, PCR



HEDIS Measurement Years and Timeline

 All HEDIS measures run on calendar year, January through February, excluding the measures in the tables below:

<u>HEDIS Measure</u>	<u>Measurement Year</u>
ADD	March 1 – February (last day)
AMM	May 1 – April 30
IET	November 15 – November 14

• Measures with more than one phase run on specific timelines within the measurement year or a specific number of days before for each phase begins. See

table:

<u>HEDIS Measure</u>	<u>Timeline</u>
ADD Initiation	March 1 – March 31
ADD Continuation	December 16 – February (last day)
AMM Acute Phase	May 1 – April 30
AMM Continuation Phase	October 28 – April 30
IET Initiation	Treatment Initiation Within 14 Days
IET Engagement	34-day period begins the day after inpatient discharge





Questions?

For further questions and/or trainings please contact:

Vicky Politowksi

Director of Integrated Care

Email: vpolitowski@dwihn.org

Cell: 313-670-7144

Brittany Davis

Clinical Specialist – HEDIS/Integrated Health

Email: Bdavis1@dwihn.org

