

Behavioral Health HEDIS® Tip Sheet

Detroit Wayne Integrated Health Network (DWIHN) created tip sheets to help you satisfy Healthcare Effectiveness Data and Information Set (HEDIS) measures. These measures from the National Committee for Quality Assurance (NCQA) help ensure our members receive appropriate care.

Antidepressant Medication Management (AMM)

- Members ages 18 and older
- Diagnosed with major depression
- Newly filled antidepressant medication

Diabetes Screening for Members Taking Antipsychotics (SSD)

- Members ages 18 to 64
- Diagnosed with schizophrenia, schizoaffective disorder or bipolar disorder
- Received an antipsychotic medication at any time during the year
- Test blood glucose level with either a glucose or HbA1c

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)

- Members 1 to 17 years old
- Dispensed two or more antipsychotic medications during the year
- Medications can be the same or different, if they're dispensed on different dates
- The goal is to test **both blood glucose** with either a glucose or HbA1c test, **and cholesterol** with either a cholesterol or LDL-C test.

Follow Up After Hospitalization for Mental Illness (FUH)

- Members ages 6 and older
- Discharged from an acute inpatient hospital stay
- Principal diagnosis at discharge is mental illness or intentional self-harm
- Outpatient follow-up visits must be with a mental health practitioner within 7 or 30 days

Adherence to Antipsychotic Medications (SAA)

- Members 18 years and older
- Diagnosed with schizophrenia or schizoaffective disorder during the measurement year

• Remained on an antipsychotic medication for at least 80 percent of their treatment period Screening for Hepatitis C

- Members ages18 to 79
- Substance use disorder diagnosis.
- Received HCV RNA testing

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

- Members ages 6 years and older
- Emergency department visit for mental illness
- Follow-up visits for mental illness within:
- 7 days of the emergency department visit with any professional
- 30 days of the emergency department visit by a clinician/doctor

Follow-up care for children prescribed (ADHD) medication

- Members ages 6 and 12
- Diagnosed with ADHD
- Initiation Phase: Follow up visit with a prescribing practitioner within 30 days of first prescription to treat ADHD
- Continuation and Maintenance Phase: remained on ADHD medication for at least 210 days, and had at least two follow up visits with a practitioner in the 9 months after the initiation.